

Client ID #

p \_\_\_\_ of \_\_\_\_

# MICRO ANALYTICAL LABORATORIES, INC.

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - FAX (510) 653-1361 - www.labmicro.com

Log in #



Name / Client / Address:

Chain of Custody 09/05/2014

Asbestos (TEM) AHERA Yamate II Mod. NIOSH 7402 CARB

.....  
.....  
.....  
.....  
.....

Job No.

Asbestos / Fibers PCM PLM PLM-400 PLM-1200

Asbestos Soil/Rock PLM CARB 435 400 pts. CARB 435 (Mod.) 1200 pts.

Lead Air Paint Soil Wipe

Water Bulk (TTLC) STLC TCLP

Tel.

Mold / Fungi Air (Spore Trap) Tape Lift Bulk Andersen Swab

E-mail

Coliform Presence / Absence MTF Sample Temperature (°C)

Other Analyses (Specify)

Number of Samples Turn-Around Time

Micro ID #  
(For Lab Use Only)

Client Sample ID#

Description

Date  
Sampled

Time Sampled  
Start / Stop /  
Total Minutes

Average  
LPM

Total  
Liters

Wipe / Swab  
Sample Area

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled Start / Stop / Total Minutes	Average LPM	Total Liters	Wipe / Swab Sample Area
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			
				: : :			

Instructions / Comments:  E-mail To:

Sample Return: YES NO If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Sampler's Signature / Name

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Drop Box / Courier

Relinquished By

Date / Time

Received By

Date / Time

Relinquished By

Date / Time

Received By

Date / Time